

PLANOCOLOR PREMIUM TERRA

DECLARATION OF PERFORMANCE

No. **C09899-CPR-2255140**

1. Unique identification code of the product type: **PLANOCOLOR PREMIUM TERRA**

2. Intended use/s: **Cementitious screed material
CT-C30-F7-A12**

3. Manufacturer: **DOMOCHEMICAL S.A.
Papanikoli 40
15232 Chalandri, Athens
+30 210 6893954
novamix@novamix.gr
www.novamix.gr**

4. Authorised representative:

5. System/s of AVCP: **System 4**

- 6a. Harmonised standard: **EN 13813:2002**

- Notified body/ies: **-**

PLANOCOLOR PREMIUM TERRA

7. Declared performance/s:

Essential characteristics	Performance	Harmonized Technical Specification
Release of corrosive substances	CT	
Compressive strength	C30	
Flexural strength	F7	EN 13813:2002
Wear resistance	A12	
Reaction to fire	F	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Thiva, 01/03/2022


Dr. Plumis Papavassiliou
R&D/QC Manager

End of information as required by Regulation (EU) No 305/2011 & 574/2014

PLANOCOLOR PREMIUM TERRA



22

ΔΟΜΟΧΗΜΙΚΗ Α.Β.Ε.Ε.
ΠΑΠΑΝΙΚΟΛΗ 40, 15232 ΧΑΛΑΝΔΡΙ, ΑΘΗΝΑ
DOMOCHEMICAL S.A.
ΠΑΡΑΝΙΚΟΛΙ 40, 15232 CHALANDRI, ATHENS

EN 13813:2002
PLANOCOLOR PREMIUM TERRA
DoP No.: C09899-CPR-2255140

Τσιμεντοειδές κονίαμα διάστρωσης δαπέδων
Cementitious screed material

Απελευθέρωση διαβρωτικών ουσιών	Release of corrosive substances	CT
Θλιπτική αντοχή	Compressive strength	C30
Καμπτική αντοχή	Flexural strength	F7
Αντοχή στη φθορά	Wear resistance	A12
Αντίδραση στη φωτιά	Reaction to fire	F